Panola County Groundwater Conservation District Waiver for Exception to Water Well Spacing Requirements

As provided in Panola County Groundwater Conservation District ("District") Rule 5.3, any person that applies to the District to drill a new well may request an exception to the District's water well spacing requirements in District Rule 5.2. Such a request must be accompanied by waivers signed by all landowners and well owners with property, existing wells or an approved well site that would be located closer to the applicant's proposed well than what is provided by the spacing requirements in the District Rules.

ocated closer to the applicant's proposed he District Rules.	well than what is provide	ded by the spacing requirements in
	ue of annlicant) has s	ubmitted/will submit a drilling
pplication to the District requesting	/	
1 0		
Well Name: PCGCD #:		
	Longitude:	
and requests the landowner's/well owner'	s approval of the followi	ng spacing exception(s):
. Check one of the following:		
☐ Exception to Spacing Requirement	from Property Line	
☐ Exception to Spacing Requirement from Other Well Site		
☐ Exceptions to Both Spacing Requirements from Property Lines and Other Well Sites		
2. List the spacing requirement(s) und	er District Rule 5.2 and	I the spacing requested:
Casing size:	_	
<i>From property line</i> □ North	☐ South ☐ East	☐ West
Spacing required by Rules (in feet): _		
Spacing requested by Applicant (in fe	et):	
From other well site		
Spacing required by Rules (in feet): _		
Spacing requested by Applicant (in fe	et):	
By signing below, I acknowledge that the Applia spacing requirements and as a landowner/water was a landowner water was a landowner water was a landowner.	vell owner potentially affected	
Signature	Date	Well Name / PCGCD#
Print Name/Title	Business/Organization name (if applicable)	
Address of property/well location:		
Latitude:	Longitude:	